



GENERAL SPECIFICATIONS **

• L.O.A *	14,74m	48'4"
• Hull length:	12,77m	41'11"
• Overall width:	4,5m	14'9"
• Beam:	4,42m	14'6"
• Light displacement (EC):	12 200kg	27,896 lbs
• Air draft:	5,79m	19'
• Draught (including propeller):	1,15m	3'10"
• Fuel tank:	1 930L	510 US Gal
• Water tank:	640L	169 US Gal
• Sewage tank:	170L	45 US Gal
• Grey water tank (Option):	320L	85 US Gal
• Engine power:		
- standard	2 x 380 HP	2 x 380 HP
- Option	2 x 425 HP	2 x 425 HP

* (with aft swimming platform + Anchor in position)

ARCHITECTS / DESIGNERS

- Naval Architect: MICAD
- Design: Andreani Design

EC CERTIFICATION **

- Category B: 14 people
- Category C & D: 16 people

se@apps

CONNECT YOUR BOAT FREE YOUR MIND

** Provisional specifications, boat in process of certification.



STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- Sandwich (Polyester resin infusion - Glass fiber)
- White gelcoat 9010
- Structural hull counter moulding in monolithic laminate (Polyester resin infusion - Glass fiber)

Profile:

- Semi-floating hull

DECK

Composition:

- Sandwich (Polyester resin infusion - Glass fiber / Balsa core)
- Structural counter moulding in monolithic laminate (Polyester resin - Glass fiber)
- White gelcoat 9010
- Diamond tip type non-slip covering

AMBIANCE

- Alpi teak woodwork
- Teak deck, black joints
- Marlin Brilliant White PVC interior upholstery
- Pilot seat Anthracite
- Exterior upholstery Marlin Brilliant White PVC

DECK EQUIPMENT

Gangway door to starboard

MOORING LINES - MOORING

- Double stainless steel bow fitting
- 2 000 W Vertical electrical windlass, up / down and remote control from the windlass, wheelhouse and flybridge
- 10 Aluminum mooring cleats (L 400mm / 15 - 3/4")
- Stainless steel gunwale guards
- 2 Compartments equipped with self-bailers and polyester hoods

SAFETY ON DECK

- Stainless steel pulpit, open and surrounding cockpit up to steps
- Leather covered stainless steel handrails, in the cockpit

COCKPIT

- Self-draining cockpit
- 2 Lockers in cockpit bottom gas piston assisted and lockable
- Gas cylinder locker integrated into the cockpit aft bench
- Hot/cold water cockpit shower
- Double port cockpit access door
- Swimming platform with stringer and battens in natural teak (4 x 1,4m / 13'1" x 4'7")
- Ergonomic bathing ladder with hand holds in the bathing platform
- 1 PMMA access door at the starboard side deck from the cockpit
- Emergency ladder

FLYBRIDGE

- Flybridge self-draining
- Retractable stainless steel staircase with double flybridge access ramp with teak steps
- Grey tinted windscreen in PMMA
- Access by polyester hatch
- Stainless steel pulpit surrounding aft of flybridge
- Polyester mast for mounting navigation lights, radar and aerials
- Central steering console
- Control panel including: Electrical engine controls, Electric windlass control, Thruster and Flaps
- Gauges indicators
- Tiller angle indicator
- Space for navigation electronics
- Steering wheel stainless steel
- Steering compass
- Hydraulic steering
- Fog horn
- USB socket
- 1 Adjustable pilot seat and 3 places for co-pilot with convertible backrest
- Flybridge lounge, composed of * 1 bench seats in L shape with built-in storage and an extendable teak table
- GRP unit with sink, handrail and stowage
- Space for life raft with stainless steel fixing bolt plates



INTERIOR

SALOON

Headroom: 1,97m / 6'5"

- Raised U-shaped dinette convertible to double berth (2,4 x 1,32m / 7'10" x 4'4")
- Dividing rail and curtains for berth
- Roman blinds with opening window
- Adjustable height, varnished wood dining table
- Sideboard unit with shelved cupboards and winerack
- Sliding door aft 3 panel with black lacquered aluminium frame
- Leatherette sheathed stainless steel handrail in cockpit deckhead
- FUSION RA210 with 2 speakers in the wheelhouse, 2 speakers in the cockpit and 2 flybridge speakers

GALLEY

Headroom: 1,97m / 6'5"

L-shaped galley

- Full height Fridge/Freezer 255 L/67 US Gal
- Corian countertop
- Large stainless steel sink with cold/hot water mixer
- Gas oven
- 3-burner hob with protective glass cover
- Overhead lockers
- Cutlery drawer
- Magic corner stowage, cupboards and drawers
- Double waste bin
- 220 V socket

STEERING STATION

- Clear glass windscreen with aluminum frames black lacquered
- Anti-reflective coating
- 3 Synchronised windscreen wipers
- Windscreen washer
- Demister
- Side windows with black lacquered aluminum frames
- Dashboard with place for navigation electronics
- Oddments spaces and storage on port side
- Engine dials: Rev counter, Fuel gauge, Warnings, Tiller angle indicator, Flap indicators
- Control: Electric windlass, Bow thruster, Navigation lights, Electric windscreen wipers and fog horns, Electric dual engine controls
- Steering wheel
- Steering compass
- Cup holder
- Pilot seat with flip up bolster, fully adjustable leg with flip up footrest
- Sliding side door with direct access to sidedeck

OWNER'S CABIN (FORWARD)

Headroom: 1,96m / 6'5"

- Double berth (1,99 x 1,60m / 6'6" x 5'3")
- Storage under berth
- Stowage on both sides of berth
- Large mirror
- 1 Hanging locker with lighting
- 1 Cupboard with shelves
- 1 Opening deck hatch with fitted mosquito screen/blind
- 2 Hull windows with opening portholes and blackout blind

HEAD (OWNER'S CABIN)

Headroom: 1,96m / 6'5"

Separate shower compartment with seat and hull porthole

Deck hatch with mosquito screen/blind

- Mirror
- Top and bottom cupboard
- Electric toilet flushing with fresh water and salt water
- Oval washbasin
- 1 Opening deck hatch with fitted mosquito screen/blind
- 1 Hull porthole

VIP CABIN (PORT)

Headroom: 1,92m / 6'3½"

- 2 Single beds (1,98 x 0,7m / 6'6" x 27½")
In-fill cushions to make up double berth
- En-suite door to day head
- Bedside table
- Large mirror
- Wardrobe
- Cupboards
- Storage under berth
- 3 Shelving unit
- Hull window with opening porthole and blackout blind

THIRD CABIN (STARBOARD)

Headroom: 2,01m / 6'7"

- Double berth (1,94 x 1,40m / 6'4½" x 4'7")
- Bedside shelf
- Wardrobe
- Storage under berth
- Opening hull portholes with curtains

DAY HEAD (PORT SIDE)

Headroom: 1,93m / 6'4"

- Mirror
- Top and bottom cupboard
- Electric toilet flushing with fresh water and salt water
- Oval washbasin
- Separate shower compartment with seat and hull porthole
- Deck hatch with mosquito screen/blind
- 1 Opening deck hatch with fitted mosquito screen/blind
- 1 Hull porthole



ENGINE

- Shaft line propulsion
- Four-blade propellers
- Cummins QSB 6,7L engines 2 x 380HP (2 x 279Kw)
- Fuel filters
- Sea water filters
- Engine room soundproofed with high density foam (40mm thick)
- Air intake for cooling the engine compartment on the port hull plating
- 1 Extinguisher
- Double fuel tank filling cap
- 2 Aluminum fuel tanks (Capacity = 2 x 965L / 2 x 255 US Gal) inter-connected and pre-fitted for FPS (Fuel Polishing System) connection system

- Steering system:
 - 2 Rudders stainless steel
 - Hydraulic steering
 - Electric trim tabs

ELECTRICITY

- Electrical panel (12V / 220V)
- Shore power socket (220V)
- 12 220V Sockets: 2 in the saloon, 2 in galley, 2 in master cabin, 1 in the VIP cabin, 1 in the 3rd cabin, 1 in the owner head, 1 in the 2nd head), + 2 for TV (Saloon + Owner's cabin)
- 12 USB sockets: 2 in the saloon, 2 at the pilot station, 4 in master cabin, 2 in the VIP cabin, 2 in the 3rd cabin
- 2 double antenna sockets (TNT - SAT)
- 2 12V 140Ah service batteries
- 4 12V 50Ah engine start batteries
- 4 12V 50Ah bow thruster batteries
- 2 Battery chargers 25 Ah
- 1 12 V socket
- Outside and inside lighting (Overhead lights, Reading lights)
- LED indirect lighting
- Outside lighting (Navigation lights, Anchor light with stainless steel mountings)

PLUMBING

- 1 Manual bilge pump (Cockpit)
- 2 Automatic electric bilge pumps
- Water unit for pressurizing the hot / cold water circuit with accumulator tank
- 40 L / 11 US Gal water heater working off engine exchanger and 220 V
- Water tank filler
- 2 Roto moulded water tanks (2 x 320L / 2 x 85 US Gal)
- Drainage outlet for black water holding tank

SMART BOARD

"SEANAPPS" smart technology:

- For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile application.
- The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.

seanapps

CONNECT YOUR BOAT FREE YOUR MIND

MISCELLANEOUS ITEMS

Smoke detector



TRIM LEVEL & PACKS

TRIM LEVEL

	ESSENTIAL	CONFORT
<ul style="list-style-type: none"> • Bow thruster (170 kgf) • 10 Cup holders • Pump for deck washing • AMS Web server (Ship control) • Pre-wiring for heating • Air conditioning pre-arrangement • 2 Additional service batteries (140A) • Inverter (2 KVA) • 2 9" Raymarine interior screens • 2 9" Raymarine exterior screens • Autopilot • Raymarine VHF 	<ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ 	<ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪
<ul style="list-style-type: none"> • Shore fresh water supply • Double station deck searchlight • 40L refrigerator, on flybridge 		<ul style="list-style-type: none"> ▪ ▪ ▪

PACKS

ELECTRONIC PACK

- 2 12" Raymarine interior screens
- 2 12" Raymarine exterior screens
- AIS receiver system

AIR CONDITIONING AND GENERATOR

- Generator (7,5 KVA - 220V / 50Hz) + COCON
- Air conditioning (48 000 BTU) Mediterranean & Tropical:
 - Owner's cabin: 1x8 kBTU
 - Aft cabins: 1x8 kBTU
 - Wheelhouse: 2x16 kBTU

OPTIONS

AMBIANCE

- Teak plain doors (standard)
- Teak doors with teak slats & infill panel
- Teak doors with crème slats & infill panel
- Oak plain doors
- Oak doors with oak slats & infill panel
- Oak doors with crème slats & infill panel
- Oak strip version & Brown oak laminated floors
- African Spirit Grey carpet (Wheelhouse + Saloon)
- Dune Berber carpet (Cabins + Passageway)
- Infinity Zah Factor cream carpet (Cockpit)
- Bolt Greige 06 fabric interior upholstery
- Crevin Noah 52 fabric interior upholstery
- Foglizzo leather interior upholstery (DUKE15 -DUKE17-DUKE45)
- Foglizzo nubuck interior upholstery (LUGA10 & LUGA13)
- Marlin Brilliant White PVC cockpit seat
- Confort - Dolce 51 PVC cockpit seat
- Confort - Dolce 51 external upholstery, with bolster seat on flybridge
- Marlin Brilliant White PVC fore sun deck
- Confort - Dolce 51 PVC fore sun deck
- Grey "Perle" hull
- Steel blue hull



INTERIOR LAYOUT / ONBOARD COMFORT

- 40 L combined microwave oven (as replacement for gas oven)
- 46L microwave oven (as replacement for gas oven)
- Combination washer / dryer
- Dishwasher for 61 sets
- 3 burner induction hob - 220V (replacing gas stove)
- 2 burner induction hob - 110V (replacing gas stove)
- 23 bottle wine cooler in end of raised dinette
- Villeroy & Boch cutlery, crockery and illuminated glassware cupboard (8 places settings)
- Electric pedestal folding dinette table with drinks holders and handrail
- Water heating (12Kw)
- Fusion Apollo MS-RA770 + premium loudspeakers, in master cabin
- Fusion Apollo MS-RA770 + premium loudspeakers, in the saloon, cockpit and flybridge
- TV pre-wiring 24", in master cabin
- TV pre-wiring 43", in the saloon
- Mosquito screens (Side doors + Aft window door + Portholes)

EXTERIOR OPTIONS

- Complete mooring kit:
 - Delta anchor 25 kg
 - Chain (12mm diameter - Length 85m)
 - Mooring line (18mm diameter - Length 20m)
 - 4 Hawsers (18mm diameter - Length 15m)
 - 6 Fenders (250mm diameter - height 700 mm)
- Fore canvas sunshade
- Set of flybridge covers (console + bench seat + table)
- Exterior guards: Oyster or Flanelle
 - Aft cockpit closing
 - Flybridge closing
 - Bimini of Flybridge
 - Flybridge dodgers
- Flybridge T-top with sliding soft-top
- Hydraulic gangway (2,72m deployed length)
- Hydraulic swim platform 350kg toy allowance
- Aft platform tender mounting
- 10 Cup holders (4 in the cockpit, 6 in flybridge)
- Black exterior curtains Sunworker in wheelhouse
- 40L refrigerator in flybridge
- Ice maker, in saloon sideboard
- Electric flybridge grill
- Teak on forward flybridge area
- Teak on cockpit and starboard side deck
- Folding cockpit table & 2 chairs
- Demountable bathing ladder on portside
- Cockpit seat cushion PVC Marlin Brilliant White
- Cockpit seat cushion Dolce 51

ELECTRICAL SYSTEM

Deck searchlight

WATER SYSTEM

- Watermaker 60 l/h / 16 US Gal/hour
- Shore fresh water supply
- Rigid sewage reserve

ENGINE

- Cummins QSB 6,7L engines 2 x 425HP (2 x 279Kw)
- Cummins joystick (Engines & Bow thruster)
- Double station stern thruster (170 kgf)
- 3rd Control joystick
- Automatic extinguishing system
- Cummins spares box

NAVIGATION ELECTRONICS

- Windvane
- Rear camera
- Raymarine Radar
- Raymarine ClearCruise (augmented reality)